

innate immunity, 460–464
 cellular effectors of, 461
 chemokines in, 464
 complement system, 462
 cytokines, 463–464
 cytotoxic cells, 462
 dendritic cells in, 460
 innate defense V gene theory and, 485–486
 interferons (IFN) in, 464
 interleukins in, 463–464
 ITIM and, 462
 killer cell inhibitory receptors (KIR) in, 462
 lymphotoxin in, 464
 mannose-binding lectin (MBL) in, 460
 MBL-associated serine proteases (MASPs) in, 462
 natural killer cells in, 460
 novel immune type receptors (NITR) in, 462
 pattern recognition receptors in, 463
 phagocytic (myeloid) cells in, 461–462
 Toll-like receptors (TLR) in, 460, 463
 tumor necrosis factor (TNF) in, 464
 in zebrafish (*Danio rerio*) and, 460–464
 inositol triphosphate (IP3), B cell receptor (BCR) and, 164
 insulin receptor substrate (IRS), class switch recombination (CSR) and, 292
 integrins
 B cell development and, 103
 chemokine triggering of, 205–207
 migration of B cells and, firm adhesion stage in, 207
 interferon γ , class switch recombination (CSR) and, 312
 interferons (IFN), innate immunity and, 464
 interleukins (*See also* IL-x)
 class switch recombination (CSR) and, 292, 312
 innate immunity and, 463–464
 memory and memory B cells in, 251–252
 plasma cells, memory and, 254, 255
 intermediate cell mass (ICM) stage,
 hematopoiesis and, 451–452, 460
 intronic enhancers, in lagomorphs (rabbits and hares), 440
 introns, recombination activating genes (RAG1/RAG2), 68
 inverse PCR (IPCR) studies, mouse B cell lineage lymphomas and, 373
 inverted terminal repeats (ITRs), V(D)J recombination and, 473, **474**
 IP10 and migration of B cells and, 215
 IRE1, 255
 Ire1 α/β , immunoglobulin assembly and secretion, 270
 IRF, class switch recombination (CSR) and, 293
 IRF4, 255
 B cell development and, 113
 transcription of immunoglobulin genes and, 89
 IRF8, B cell development and, 113
 isolated lymphoid follicles (ILFs), mucosal B cells and, 224, 227

isotype diversity, in fish, 422
 isotype switching (*See* class switch recombination (CSR))
 isotypic exclusion, 127–140
 ITAC and migration of B cells, 215
 ITAM (*See* immunoreceptive tyrosine-based activation motif)
 ITIM (*See* immunoreceptor tyrosine-based inhibitory motif)
 I μ GT, class switch recombination (CSR) and, 291–292

J

J chain/J regions
 beyond 12/23 (B12/23) rule in, 64–65
 immunoglobulin I genes (IGL)
 human and, 41, 46
 human/mouse, 38, 39, **39**, 40
 mouse and, 50, 52–55, **56**
 immunoglobulin assembly and secretion, in
 polymerization and transcytosis in, 267
 mucosal B cells and, 223, **224**, 228–229
 transcription of immunoglobulin genes and, 83, 91
 translocus mice and human Mab and, 547–558
 12/23 rule in, 62, **63**, 64–65, 128
 V(D)J recombination and, 62
 JAK, class switch recombination (CSR) and, 292, 293
 JAK-STAT activation, pluripotent
 hematopoietic stem cells (pHSC) and, 103
 jawless vertebrates, lower vertebrate
 immunoglobulin genes and, 427–428
 J_H (joining) region, human IgH and, 1
 junctional adhesion molecules (JAMs),
 migration of B cells and, 207
 JunctionAnalysis tool, Immunogenetics
 Database (IMGT) and, 40

K

κ intronic and 3' enhancers, transcription of
 immunoglobulin genes and, **85**, 86, 88–89
 κ light chain gene segments
 in artiodactyls (hoofed, grazing animals),
 441–442
 in lagomorphs (rabbits and hares), 437
 κ L chain rearrangement, B cell development
 and, 114–115
 Kearney, John F., 155
 kelch repeats, recombination activating genes
 (RAG1/RAG2) and, 478–479
 killer-cell immunoglobulin-like receptors
 (KIRs), 428, 462
 Kincade, Paul, 101
 Kinoshita, Kazuo, 307
 Knight, Katherine L., 433
 Krangel, Michael S., 127
 Ku70, nonhomologous end joining (NHEJ) and,
 73–74, 76
 Ku80, nonhomologous end joining (NHEJ) and,
 73–74, 76

L

λ 5, 109, 111, 127, 142, 143–144, 148
 B cell development and, 143–144
 common lymphoid precursors (CLP), 106,
 107
 IGLL λ mutations and, agammaglobulinemias
 and, 409, **409**
 immunodeficiency diseases and, 148
 IL chain rearrangement, B cell development
 and, 114–115
 λ enhancers, transcription of immunoglobulin
 genes and, **85**, 86, 88–89
 λ (lambda) light chain genes
 in artiodactyls (hoofed, grazing animals),
 441–442
 in lagomorphs (rabbits and hares), 437
 L chain genes, B cell development and, 107
 L selectins, migration of B cells and, 204–205
 lagomorphs (rabbits and hares), 436–440
 antibody diversity in, 437–440, **438**
 B cell development in, 437–440
 C_H genes in, 439–440, **439**
 enhancer regions in, 440
 gut-associated lymphoid tissues (GALT) in,
 438–439
 immunoglobulin genes in higher vertebrates
 and, 436–440
 κ light chain gene segments in, 437
 λ light chain gene segments in, 437
 polymorphisms of V_H in, 437
 secondary immune response in, 439
 somatic hypermutation (SHM) in, templated
 and nontemplated mutation in, antigen-
 activated, 329
 V(D)J recombination in, 436–438
 Lamm, Michael E., 223
 Lanning, Dennis, 433
 late SV40 factor (LSF), class switch
 recombination (CSR) and, 291
 lck, subset development in B cells, 156
 LeBien, Tucker, 141
 lectin
 B cell development and, 111
 immunoglobulin assembly and secretion,
 267–268
 LEF-1, V(D)J recombination and, 130
 Lefranc, Gerard, 37
 Lefranc, Marie-Paule, 37
 leukemia (*See* B cell leukemias and
 lymphomas)
 leukocyte function-associated (LFA), mucosal
 B cells and, 235
 in antibody production and response, 195
 migration of B cells and, 205, 207, 208, 210,
 212, 214
 leukocyte Ig-like receptor (LIR), 182
 Lewis, Susanna M., 473
 LIF, translocus mice and human Mab and, 552
 Lig4 (*See* DNA ligase IV)
 light chain genes, lower vertebrate
 immunoglobulin genes and, diverse
 structures and organization in, 423–425,
424