

This is XeTeX, Version 3.1415926-2.3-0.9997.5 (Web2C 2011) (format=xelatex 2011.11.23)
 3 JAN 2012 21:10
 entering extended mode
 restricted \write18 enabled.
 %&-line parsing enabled.
 **theorem_number_in_right.tex
 (./theorem_number_in_right.tex
 LaTeX2e <2011/06/27>
 Babel <v3.8m> and hyphenation patterns for english, dumylang, nohyphenation, ge
 rman-x-2011-07-01, ngerman-x-2011-07-01, afrikaans, ancientgreek, ibycus, arabi
 c, armenian, basque, bulgarian, catalan, pinyin, coptic, croatian, czech, danis
 h, dutch, ukenglish, usenglishmax, esperanto, estonian, ethiopic, farsi, finnis
 h, french, galician, german, ngerman, swissgerman, monogreek, greek, hungarian,
 icelandic, assamese, bengali, gujarati, hindi, kannada, malayalam, marathi, or
 iya, panjabi, tamil, telugu, indonesian, interlingua, irish, italian, kurmanji,
 lao, latin, latvian, lithuanian, mongolian, mongolianlmc, bokmal, nynorsk, pol
 ish, portuguese, romanian, russian, sanskrit, serbian, serbianc, slovak, sloven
 ian, spanish, swedish, turkish, turkmen, ukrainian, uppersorbian, welsh, loaded
 .
 (c:/texlive/2011/texmf-dist/tex/latex/base/book.cls
 Document Class: book 2007/10/19 v1.4h Standard LaTeX document class
 (c:/texlive/2011/texmf-dist/tex/latex/base/bk10.clo
 File: bk10.clo 2007/10/19 v1.4h Standard LaTeX file (size option)
)
 \c@part=\count80
 \c@chapter=\count81
 \c@section=\count82
 \c@subsection=\count83
 \c@subsubsection=\count84
 \c@paragraph=\count85
 \c@subparagraph=\count86
 \c@figure=\count87
 \c@table=\count88
 \abovecaptionskip=\skip41
 \belowcaptionskip=\skip42
 \bibindent=\dimen102
)
 (c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/xepersian.sty
 Package: xepersian 2011/08/01 v1.1.6 Persian typesetting in XeLaTeX
 (c:/texlive/2011/texmf-dist/tex/latex/fontspec/fontspec.sty
 Package: fontspec 2011/02/26 v2.1f Advanced font selection for XeLaTeX/LuaLaTeX
 (c:/texlive/2011/texmf-dist/tex/latex/l3kernel/expl3.sty
 (c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3names.sty
 (c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3bootstrap.sty
 Package: l3bootstrap 2011/08/13 v2558 L3 Experimental bootstrap code
)
 Package: l3names 2011/08/10 v2538 L3 Experimental namespace for primitives
)
 (c:/texlive/2011/texmf-dist/tex/latex/etex-pkg/etex.sty
 Package: etex 1998/03/26 v2.0 eTeX basic definition package (PEB)

```

\et@xins=\count89
)
(c:/texlive/2011/texmf-dist/tex/latex/tools/calc.sty
Package: calc 2007/08/22 v4.3 Infix arithmetic (KKT,FJ)
\calc@Acount=\count90
\calc@Bcount=\count91
\calc@Adimen=\dimen103
\calc@Bdimen=\dimen104
\calc@Askip=\skip43
\calc@Bskip=\skip44
LaTeX Info: Redefining \setlength on input line 76.
LaTeX Info: Redefining \addtolength on input line 77.
\calc@Ccount=\count92
\calc@Cskip=\skip45
)
Package: expl3 2011/08/17 v2607 L3 Experimental code bundle wrapper
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3basics.sty
Package: l3basics 2011/07/04 v2493 L3 Experimental basic definitions
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3expan.sty
Package: l3expan 2011/08/11 v2545 L3 Experimental argument expansion
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3tl.sty
Package: l3tl 2011/08/13 v2566 L3 Experimental token lists
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3seq.sty
Package: l3seq 2011/08/15 v2586 L3 Experimental sequences and stacks
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3int.sty
Package: l3int 2011/08/16 v2600 L3 Experimental integers
\c_max_int=\count93
\l_tmpa_int=\count94
\l_tmpb_int=\count95
\l_tmpc_int=\count96
\g_tmpa_int=\count97
\g_tmpb_int=\count98
\g_seq_nesting_depth_int=\count99
\g_tl_inline_level_int=\count100
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3quark.sty
Package: l3quark 2011/08/11 v2549 L3 Experimental quarks
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3prg.sty
Package: l3prg 2011/08/16 v2601 L3 Experimental control structures
\g_prg_stepwise_level_int=\count101
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3clist.sty
Package: l3clist 2011/07/09 v2498 L3 Experimental comma separated lists
\g_clist_map_inline_int=\count102
)

```

```

(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3token.sty
Package: l3token 2011/08/14 v2579 L3 Experimental token manipulation
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3prop.sty
Package: l3prop 2011/06/19 v2478 L3 Experimental property lists
\g_prop_map_inline_int=\count103
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3msg.sty
Package: l3msg 2011/08/16 v2601 L3 Experimental messages
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3io.sty
Package: l3io 2011/08/16 v2595 L3 Experimental input-output operations
\l_iow_stream_int=\count104
\l_iow_line_length_int=\count105
\l_iow_target_length_int=\count106
\l_iow_current_line_int=\count107
\l_iow_current_word_int=\count108
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3file.sty
Package: l3file 2011/06/19 v2478 L3 Experimental file operations
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3skip.sty
Package: l3skip 2011/08/09 v2526 L3 Experimental dimensions and skips
\l_tmpa_dim=\dimen105
\l_tmpb_dim=\dimen106
\l_tmpc_dim=\dimen107
\g_tmpa_dim=\dimen108
\g_tmpb_dim=\dimen109
\l_tmpa_skip=\skip46
\l_tmpb_skip=\skip47
\l_tmpc_skip=\skip48
\g_tmpa_skip=\skip49
\g_tmpb_skip=\skip50
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3box.sty
Package: l3box 2011/08/16 v2595 L3 Experimental boxes
\l_tmpb_box=\box26
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3keyval.sty
Package: l3keyval 2011/08/16 v2601 L3 Experimental key-value parsing
\g_keyval_level_int=\count109
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3keys.sty
Package: l3keys 2011/08/14 v2568 L3 Experimental key-value interfaces
\l_keys_choice_int=\count110
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3fp.sty
Package: l3fp 2011/06/19 v2478 L3 Experimental floating-point operations
\c_one_million=\count111
\c_one_hundred_million=\count112

```

\c_five_hundred_million=\count113
\c_one_thousand_million=\count114
\c_fp_pi_by_four_decimal_int=\count115
\c_fp_pi_by_four_extended_int=\count116
\c_fp_pi_decimal_int=\count117
\c_fp_pi_extended_int=\count118
\c_fp_two_pi_decimal_int=\count119
\c_fp_two_pi_extended_int=\count120
\l_fp_count_int=\count121
\l_fp_div_offset_int=\count122
\l_fp_exp_integer_int=\count123
\l_fp_exp_decimal_int=\count124
\l_fp_exp_extended_int=\count125
\l_fp_exp_exponent_int=\count126
\l_fp_input_a_sign_int=\count127
\l_fp_input_a_integer_int=\count128
\l_fp_input_a_decimal_int=\count129
\l_fp_input_a_exponent_int=\count130
\l_fp_input_b_sign_int=\count131
\l_fp_input_b_integer_int=\count132
\l_fp_input_b_decimal_int=\count133
\l_fp_input_b_exponent_int=\count134
\l_fp_input_a_extended_int=\count135
\l_fp_input_b_extended_int=\count136
\l_fp_mul_a_i_int=\count137
\l_fp_mul_a_ii_int=\count138
\l_fp_mul_a_iii_int=\count139
\l_fp_mul_a_iv_int=\count140
\l_fp_mul_a_v_int=\count141
\l_fp_mul_a_vi_int=\count142
\l_fp_mul_b_i_int=\count143
\l_fp_mul_b_ii_int=\count144
\l_fp_mul_b_iii_int=\count145
\l_fp_mul_b_iv_int=\count146
\l_fp_mul_b_v_int=\count147
\l_fp_mul_b_vi_int=\count148
\l_fp_mul_output_int=\count149
\l_fp_output_sign_int=\count150
\l_fp_output_integer_int=\count151
\l_fp_output_decimal_int=\count152
\l_fp_output_exponent_int=\count153
\l_fp_output_extended_int=\count154
\l_fp_round_position_int=\count155
\l_fp_round_target_int=\count156
\l_fp_split_sign_int=\count157
\l_fp_tmp_int=\count158
\l_fp_trig_octant_int=\count159
\l_fp_trig_sign_int=\count160
\l_fp_trig_decimal_int=\count161
\l_fp_trig_extended_int=\count162

```

\l_fp_tmp_dim=\dimen110
\l_fp_tmp_skip=\skip51
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3luatex.sty
Package: l3luatex 2011/08/11 v2545 L3 Experimental LuaTeX-specific functions
\g_cctab_allocate_int=\count163
\g_cctab_stack_int=\count164
)
(c:/texlive/2011/texmf-dist/tex/latex/l3kernel/l3toks.sty
Package: l3toks 2011/08/16 v2601 L3 Experimental token registers
\l_tmpb_toks=\toks14
\l_tmpc_toks=\toks15
\g_tmpa_toks=\toks16
\g_tmpb_toks=\toks17
\g_tmpc_toks=\toks18
\c_empty_toks=\toks19
\l_tl_replace_toks=\toks20
))
(c:/texlive/2011/texmf-dist/tex/latex/l3packages/xparse/xparse.sty
Package: xparse 2011/08/17 v2607 L3 Experimental document command parser
\l_xparse_m_args_int=\count165
\l_xparse_mandatory_args_int=\count166
\l_xparse_processor_int=\count167
\l_xparse_total_args_int=\count168
)
(c:/texlive/2011/texmf-dist/tex/generic/kastrup/binhex.tex)
\l_fontspec_script_int=\count169
\l_fontspec_language_int=\count170
\l_fontspec_strnum_int=\count171
Variant \tl_gset:cV already defined; not changing it on line 83
(c:/texlive/2011/texmf-dist/tex/latex/xkeyval/xkeyval.sty
Package: xkeyval 2008/08/13 v2.6a package option processing (HA)
(c:/texlive/2011/texmf-dist/tex/generic/xkeyval/xkeyval.tex
\XKV@toks=\toks21
\XKV@tempa@toks=\toks22
\XKV@depth=\count172
File: xkeyval.tex 2008/08/13 v2.6a key=value parser (HA)
(c:/texlive/2011/texmf-dist/tex/generic/xkeyval/keyval.tex)))
(c:/texlive/2011/texmf-dist/tex/latex/fontspec/fontspec-patches.sty
Package: fontspec-patches 2011/02/26 v2.1f Advanced font selection for XeLaTeX/
LuaLaTeX
(c:/texlive/2011/texmf-dist/tex/latex/base/fixltx2e.sty
Package: fixltx2e 2006/09/13 v1.1m fixes to LaTeX
LaTeX Info: Redefining \em on input line 420.
)
LaTeX Info: Redefining \em on input line 22.
LaTeX Info: Redefining \emph on input line 29.
LaTeX Info: Redefining \- on input line 32.
)
(c:/texlive/2011/texmf-dist/tex/latex/base/fontenc.sty

```

Package: fontenc 2005/09/27 v1.99g Standard LaTeX package
(c:/texlive/2011/texmf-dist/tex/latex/euenc/eu1enc.def
File: eu1enc.def 2010/05/27 v0.1h Experimental Unicode font encodings
)
LaTeX Font Info: Try loading font information for EU1+lmr on input line 100.
(c:/texlive/2011/texmf-dist/tex/latex/euenc/eu1lmr.fd
File: eu1lmr.fd 2009/10/30 v1.6 Font defs for Latin Modern
))
(c:/texlive/2011/texmf-dist/tex/xelatex/xunicode/xunicode.sty
File: xunicode.sty 2010/11/06 v0.96 provides access to latin accents and many o
ther characters in Unicode lower plane
)

```
.....
. xparse info: "define-command"
.
. Defining document command \fontspec with arg. spec. 'O{ }m' on line 335.
.....
.....
. xparse info: "define-command"
.
. Defining document command \setmainfont with arg. spec. 'O{ }m' on line 339.
.....
.....
. xparse info: "define-command"
.
. Defining document command \setsansfont with arg. spec. 'O{ }m' on line 343.
.....
.....
. xparse info: "define-command"
.
. Defining document command \setmonofont with arg. spec. 'O{ }m' on line 347.
.....
.....
. xparse info: "define-command"
.
. Defining document command \setmathrm with arg. spec. 'O{ }m' on line 351.
.....
.....
. xparse info: "define-command"
.
. Defining document command \setboldmathrm with arg. spec. 'O{ }m' on line 354.
.....
.....
. xparse info: "define-command"
.
. Defining document command \setmathsf with arg. spec. 'O{ }m' on line 357.
.....
.....
. xparse info: "define-command"
.
```

```

. Defining document command \setmathtt with arg. spec. 'O{ }m' on line 360.
.....
.....
. xparse info: "define-command"
.
. Defining document command \newfontfamily with arg. spec. 'mO{ }m' on line
. 377.
.....
.....
. xparse info: "define-command"
.
. Defining document command \newfontface with arg. spec. 'mO{ }m' on line 380.
.....
.....
. xparse info: "define-command"
.
. Defining document command \defaultfontfeatures with arg. spec. 'm' on line
. 383.
.....
.....
. xparse info: "define-command"
.
. Defining document command \addfontfeatures with arg. spec. 'm' on line 400.
.....
.....
. xparse info: "define-command"
.
. Defining document command \newfontfeature with arg. spec. 'mm' on line 407.
.....
.....
. xparse info: "define-command"
.
. Defining document command \newAATfeature with arg. spec. 'mmmm' on line 416.
.....
.....
. xparse info: "define-command"
.
. Defining document command \newICUfeature with arg. spec. 'mmm' on line 425.
.....
.....
. xparse info: "define-command"
.
. Defining document command \aliasfontfeature with arg. spec. 'mm' on line
. 427.
.....
.....
. xparse info: "define-command"
.
. Defining document command \aliasfontfeatureoption with arg. spec. 'mmm' on
. line 430.

```

```

.....
.....
. xparse info: "define-command"
.
. Defining document command \newfontscript with arg. spec. 'mm' on line 435.
.....
.....
. xparse info: "define-command"
.
. Defining document command \newfontlanguage with arg. spec. 'mm' on line 457.
.....
.....
. xparse info: "define-command"
.
. Defining document command \DeclareFontsExtensions with arg. spec. 'm' on
. line 474.
.....
Variant \prop_gput:cnV already defined; not changing it on line 746
Variant \prop_gput:cnx already defined; not changing it on line 747
\c@fontspec_tmp_int=\count173
LaTeX Info: Redefining \itshape on input line 2105.
LaTeX Info: Redefining \slshape on input line 2109.
LaTeX Info: Redefining \scshape on input line 2113.
LaTeX Info: Redefining \upshape on input line 2117.
(c:/texlive/2011/texmf-dist/tex/latex/fontspec/fontspec.cfg)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/xepersian-persiancal.sty
Package: xepersian-persiancal 2010/07/25 v0.1 provides Persian calendar
\XePersian@i=\count174
\XePersian@y=\count175
\XePersian@m=\count176
\XePersian@d=\count177
\XePersian@latini=\count178
\XePersian@persiani=\count179
\XePersian@latinii=\count180
\XePersian@persianii=\count181
\XePersian@latiniii=\count182
\XePersian@persianiii=\count183
\XePersian@latiniv=\count184
\XePersian@persianiv=\count185
\XePersian@latinv=\count186
\XePersian@persianv=\count187
\XePersian@latinvi=\count188
\XePersian@persianvi=\count189
\XePersian@latinvii=\count190
\XePersian@persianvii=\count191
\XePersian@latinviii=\count192
\XePersian@persianviii=\count193
\XePersian@latinix=\count194
\XePersian@persianix=\count195
\XePersian@latinix=\count196

```



```

\XePersian@persianx=\count197
\XePersian@latinxi=\count198
\XePersian@persianxi=\count199
\XePersian@latinxii=\count200
\XePersian@persianxii=\count201
Normal \count register pool exhausted, switching to extended pool.
\XePersian@persianxiii=\count277
\XePersian@temp=\count278
\XePersian@temptwo=\count279
\XePersian@tempthree=\count280
\XePersian@yModHundred=\count281
\XePersian@thirtytwo=\count282
\XePersian@dn=\count283
\XePersian@sn=\count284
\XePersian@mminusone=\count285
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/xepersian-mathsdigitspec.sty
Package: xepersian-mathsdigitspec 2011/03/01 v0.9 Unicode Persian maths digits
in XeLaTeX
.....
. xparse info: "define-command"
.
. Defining document command \new@mathbf with arg. spec. 'm' on line 53.
.....
.....
. xparse info: "define-command"
.
. Defining document command \new@mathit with arg. spec. 'm' on line 61.
.....
.....
. xparse info: "define-command"
.
. Defining document command \new@mathrm with arg. spec. 'm' on line 69.
.....
.....
. xparse info: "define-command"
.
. Defining document command \new@mathsf with arg. spec. 'm' on line 77.
.....
.....
. xparse info: "define-command"
.
. Defining document command \new@mathtt with arg. spec. 'm' on line 85.
.....
) (c:/texlive/2011/texmf-dist/tex/latex/etoolbox/etoolbox.sty
Package: etoolbox 2011/01/03 v2.1 e-TeX tools for LaTeX
\etb@tempcnta=\count286
)
(c:/texlive/2011/texmf-dist/tex/latex/bidi/bidi.sty
Package: bidi 2011/08/26 v1.2.6 Bidirectional typesetting in plain TeX and LaTe

```

X

bidi package (Support for bidirectional typesetting in plain TeX and LaTeX)

Description: A convenient interface for typesetting bidirectional texts in plain TeX and LaTeX. The package includes adaptations for use with many other commonly-used packages.

Copyright © 2009–2011 Vafa Khalighi

v1.2.6, 2011/08/26

License: LaTeX Project Public License, version 1.3c or higher (your choice)

Home: <https://bitbucket.org/vafa/bidi>

Location on CTAN: /macros/latex/contrib/bidi

(c:/texlive/2011/texmf-dist/tex/generic/iftex/iftex.sty

Package: iftex 2010/07/25 v0.2 Provides if(tex) conditional for PDFTeX, XeTeX, and LuaTeX

)

(c:/texlive/2011/texmf-dist/tex/latex/bidi/xetex-bidi.def

File: xetex-bidi.def 2011/07/25 v0.9 bidi adaptations for XeTeX engine

\n@everypar=\toks23

(c:/texlive/2011/texmf-dist/tex/latex/bidi/footnote-xetex-bidi.def

File: footnote-xetex-bidi.def 2010/07/25 v0.5 bidi footnote macros for XeTeX engine

)

(c:/texlive/2011/texmf-dist/tex/latex/bidi/book-xetex-bidi.def

File: book-xetex-bidi.def 2011/08/26 v0.8 bidi adaptations for standard book class for XeTeX engine

))

(c:/texlive/2011/texmf-dist/tex/latex/bidi/loadingorder-bidi.def

File: loadingorder-bidi.def 2011/04/16 v0.6 making sure that bidi is the last package loaded

))

xepersian package (Persian for LaTeX over XeTeX)

Description: The package supports Persian typesetting, using fonts provided in the distribution.

Copyright © 2008–2011 Vafa Khalighi

v1.1.6, 2011/08/01

License: LaTeX Project Public License, version 1.3c or higher (your choice)

Home: <http://bitbucket.org/vafa/xepersian>

Location on CTAN: /macros/xetex/latex/xepersian

\g_fontspec_family_lmroman10-regular_int=\count287

.....
. fontspec info: "defining-font"

.

. Defining font family 'lmroman10-regular(0)' for font 'lmroman10-regular'

. with options

. [Mapping=tex-text,ExternalLocation,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic},ItalicFont={lmroman10-italic},SmallCapsFont={lmromancaps10-regular},SlantedFont={lmromanslant10-regular},BoldSlantedFont={lmromanslant10-bold}].

.....

.....

. fontspec info: "defining-raw"

```

.
. Defining shape 'normal' with NFSS spec.:
. <->"[lmroman10-regular]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'm/sc' with NFSS spec.:
.
. <->"[lmromancaps10-regular]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'bold' with NFSS spec.:
. <->"[lmroman10-bold]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'bx/sc' with NFSS spec.:
.
. <->"[lmromancaps10-regular]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'italic' with NFSS spec.:
. <->"[lmroman10-italic]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'm/si' with NFSS spec.:
.
. <->"[lmromancaps10-regular]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'm/sl' with NFSS spec.:
.
. <->"[lmromanslant10-regular]/ICU:script=latn;language=DFLT;mapping=tex-text;"
.....
.....
. fontspec info: "defining-row"
.
. Defining shape 'm/sc' with NFSS spec.:
.
. <->"[lmromancaps10-regular]/ICU:script=latn;language=DFLT;mapping=tex-text;"

```

```

.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'bold italic' with NFSS spec.:
. <->"[lmroman10-bolditalic]/ICU:script=latn;language=DFLT;mapping=te-x-text;"
.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'bx/si' with NFSS spec.:
.
. <->"[lmromancaps10-regular]/ICU:script=latn;language=DFLT;mapping=te-x-text;"
.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'bx/sl' with NFSS spec.:
. <->"[lmromanslant10-bold]/ICU:script=latn;language=DFLT;mapping=te-x-text;"
.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'bx/sc' with NFSS spec.:
.
. <->"[lmromancaps10-regular]/ICU:script=latn;language=DFLT;mapping=te-x-text;"
.....
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/loadingorder-bidi-xepersian.d
ef
File: loadingorder-bidi-xepersian.def 2010/07/25 v0.2 making sure that xepersia
n is the last package loaded
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/footnote-bidi-xepersian.def
File: footnote-bidi-xepersian.def 2010/07/25 v0.2 footnote macros for xepersian
package
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/book-xepersian.def
File: book-xepersian.def 2010/07/25 v0.2 adaptations for standard book class
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/localise-xepersian.def
File: localise-xepersian.def 2010/07/25 v0.2a Persian localisation of LaTeX2e
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/commands-ltx.def
File: commands-ltx.def 2010/07/25 v0.2 Persian localisation of LaTeX2e commands
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/commands-xepersian.def
File: commands-xepersian.def 2010/07/25 v0.1 Persian localisation of XePersian
commands
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/environments-ltx.def
File: environments-ltx.def 2010/07/25 v0.2 Persian localisation of LaTeX2e envi

```

```

ronments
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/environments-xepersian.def
File: environments-xepersian.def 2010/07/25 v0.1 Persian localisation of XePers
ian and bidi environments
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/messages-localise.def
File: messages-localise.def 2011/03/01 v0.1 localising LaTeX2e messages
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/misc-localise-xepersian.def
File: misc-localise-xepersian.def 2011/03/01 v0.1 miscellaneous Persian localis
ation of LaTeX2e
)
(c:/texlive/2011/texmf-dist/tex/xelatex/xepersian/packages-localise-xepersian.d
ef
File: packages-localise-xepersian.def 2011/03/01 v0.1 localising LaTeX2e Packag
es
)))
*****
* fontspec warning: "language-not-exist"
*
* Language 'Parsi' not available
* for font 'IranNastaliq' with script 'Parsi'.
* 'Default' language used instead.
*****
\g_fontspec_family_IranNastaliq_int=\count288
.....
. fontspec info: "defining-font"
.
. Defining font family 'IranNastaliq(0)' for font 'IranNastaliq' with options
. [Script=Parsi,Language=Parsi,Mapping=parsidigits,Scale=1.3].
.....
. fontspec info: "defining-raw"
.
. Defining shape 'normal' with NFSS spec.:
. <->s*[1.3]"IranNastaliq/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
. fontspec info: "no-font-shape"
.
. Could not resolve font IranNastaliq/B (it probably doesn't exist).
.....
. fontspec info: "no-font-shape"
.
. Could not resolve font IranNastaliq/I (it probably doesn't exist).
.....
. fontspec info: "no-font-shape"

```

```

.
. Could not resolve font IranNastaliq/BI (it probably doesn't exist).
.....
*****
* fontspec warning: "language-not-exist"
*
* Language 'Parsi' not available
* for font 'Yas' with script 'Parsi'.
* 'Default' language used instead.
*****
\g_fontspec_family_Yas_int=\count289
.....
. fontspec info: "defining-font"
.
. Defining font family 'Yas(0)' for font 'Yas' with options
. [Script=Parsi,Language=Parsi,Mapping=parsidigits,Scale=1.25].
.....
. fontspec info: "defining-row"
.
. Defining shape 'normal' with NFSS spec.:
. <->s*[1.25]"Yas/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
. fontspec info: "defining-row"
.
. Defining shape 'bold' with NFSS spec.:
. <->s*[1.25]"Yas/B/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
. fontspec info: "no-font-shape"
.
. Could not resolve font Yas/I (it probably doesn't exist).
.....
. fontspec info: "defining-row"
.
. Defining shape 'bold italic' with NFSS spec.:
. <->s*[1.25]"Yas/BI/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
*****
* fontspec warning: "language-not-exist"
*
* Language 'Parsi' not available
* for font 'B Zar' with script 'Parsi'.
* 'Default' language used instead.
*****
\g_fontspec_family_B_Zar_int=\count290
.....
. fontspec info: "defining-font"

```

```

.
. Defining font family 'BZar(0)' for font 'B Zar' with options
. [Script=Parsi,Language=Parsi,Mapping=parsidigits,Scale=1.5].
.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'normal' with NFSS spec.:
. <->s*[1.5]"B Zar/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'bold' with NFSS spec.:
. <->s*[1.5]"B Zar/B/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
.....
. fontspec info: "no-font-shape"
.
. Could not resolve font B Zar/I (it probably doesn't exist).
.....
.....
. fontspec info: "defining-raw"
.
. Defining shape 'bold italic' with NFSS spec.:
. <->s*[1.5]"B Zar/BI/ICU:script=arab;language=DFLT;mapping=parsidigits;"
.....
\c@thrm=\count291
(/theorem_number_in_right.aux)
\openout1 = `theorem_number_in_right.aux'.
LaTeX Font Info: Checking defaults for OML/cmm/m/it on input line 66.
LaTeX Font Info: ... okay on input line 66.
LaTeX Font Info: Checking defaults for T1/cmr/m/n on input line 66.
LaTeX Font Info: ... okay on input line 66.
LaTeX Font Info: Checking defaults for OT1/cmr/m/n on input line 66.
LaTeX Font Info: ... okay on input line 66.
LaTeX Font Info: Checking defaults for OMS/cmsy/m/n on input line 66.
LaTeX Font Info: ... okay on input line 66.
LaTeX Font Info: Checking defaults for OMX/cmex/m/n on input line 66.
LaTeX Font Info: ... okay on input line 66.
LaTeX Font Info: Checking defaults for U/cmr/m/n on input line 66.
LaTeX Font Info: ... okay on input line 66.
LaTeX Font Info: Checking defaults for EU1/lmr/m/n on input line 66.
LaTeX Font Info: ... okay on input line 66.

```

فصل ۱.

Missing character: There is no ف in font [lmroman12-bold]:mapping=tex-text!
Missing character: There is no ص in font [lmroman12-bold]:mapping=tex-text!
Missing character: There is no ل in font [lmroman12-bold]:mapping=tex-text!
Missing character: There is no ش in font [lmroman12-bold]:mapping=tex-text!
Missing character: There is no م in font [lmroman12-bold]:mapping=tex-text!

Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman12-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman10-bold]:mapping=tex-text!
 Missing character: There is no ' in font [lmroman10-bold]:mapping=tex-text!
 LaTeX Font Info: External font `cmex10' loaded for size
 (Font) <7> on input line 69.

Missing character: There is no م in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ث in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no Œ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no Ɔ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no † in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ‡ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no Œ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no Ɔ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ċ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no † in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ¢ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no Œ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no in font [lmroman10-regular]:mapping=tex-text

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!

[illegible]

Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻯ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﺱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﺕ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﭗ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﺏ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﺭ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ِ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٔ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٖ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ۛ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!

[illegible]

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!

[illegible]

[illegible]

Missing character: There is no Ů in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no Ĳ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ʁ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no Ƨ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!

[illegible]

[illegible]

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!

[illegible]

Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ة in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻭ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻯ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﺱ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!

[illegible]

Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ٸ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ٩ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ٩ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ٩ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ٩ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ﺉ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻱ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻱ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻱ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﺉ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻱ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no Ů in font [lmroman10-regular]:mapping=te

Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ٠ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ١ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٢ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٣ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ٠ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ١ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٢ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٣ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٤ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٥ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻭ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻯ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﺱ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﺕ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻭ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻯ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﺱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻡ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﺕ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ﻥ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ſ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ʀ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ſ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˘ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ċ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ̣ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ſ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no in font [lmroman10-regular]:mapping=tex-text

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!

[illegible]
$$\begin{bmatrix} 1 \\ \vdots \end{bmatrix}$$

Missing character: There is no ث in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no ل in font [lmroman10-bold]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ̣ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ̣ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٲ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٲ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ل in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ِ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ِ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ِ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٰ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ʄ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʅ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʆ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʇ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʈ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʉ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʊ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʋ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʌ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʍ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ʎ in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!

[illegible]

Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ج in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٱ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text!
!

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!

Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٲ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٲ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ح in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ٲ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ى in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no in font [lmroman10-regular]:mapping=tex-text

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!

[illegible]

[illegible]

Missing character: There is no ſ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ʀ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ſ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˘ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ċ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ˆ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ̣ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no ſ in font [lmroman10-regular]:mapping=tex-text!
 Missing character: There is no in font [lmroman10-regular]:mapping=tex-text

Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no و in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no م in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ت in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ن in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no پ in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ا in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no س in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ی in font [lmroman10-regular]:mapping=tex-text!
Missing character: There is no ر in font [lmroman10-regular]:mapping=tex-text!

[illegible]

text!

Missing character: There is no in font [lmromanslant10-regular]:mapping=tex-text!

Missing character: There is no گ in font [lmromanslant10-regular]:mapping=tex-text!

Missing character: There is no ٓ in font [lmromanslant10-regular]:mapping=tex-text!

Missing character: There is no ٔ in font [lmromanslant10-regular]:mapping=tex-text!

Missing character: There is no ٖ in font [lmromanslant10-regular]:mapping=tex-text!

Missing character: There is no ٗ in font [lmromanslant10-regular]:mapping=tex-text!

[2] (./theorem_number_in_right.aux))

Here is how much of TeX's memory you used:

12989 strings out of 494146

219867 string characters out of 3155806

307039 words of memory out of 3000000

16098 multiletter control sequences out of 15000+200000

3800 words of font info for 34 fonts, out of 3000000 for 9000

1018 hyphenation exceptions out of 8191

39i,4n,64p,823b,280s stack positions out of 5000i,500n,10000p,200000b,50000s

Output written on theorem_number_in_right.pdf (2 pages).